















60HZ

## Diesel Generator Powered by Doosan | Three Phase Specifications:(188KVA-850KVA)

Genset Model	ESP		PRP		Fuel Cons L/H(75 %)	Open L*W*H(mm)	Silent L*W*H(mm)	Engine Model	Country of origin	Cyl Arrangement	Displacement (L)	Gov	Cooling
	<b>KVA</b>	<b>KW</b>	<b>KVA</b>	<b>KW</b>									
KGDS188	206	165	188	150	31.6	2690*950*1500	3900*1220*2212	DP086T1-1		6L	8.071	E	Water
KGDS225	250	200	225	180	37.7	2690*950*1500	3900*1220*2212	P086TI		6L	8.071	E	Water
KGDS250	275	220	250	200	41.7	2690*950*1500	3900*1220*2212	DP086LA		6L	8.071	E	Water
KGDS313	335	268	313	250	52.3	2950*1230*1625	4380*1420*2212	P126TI		6L	11.051	E	Water
KGDS350	388	310	350	280	56	2975*1015*1510	4380*1420*2212	P126TI-II		6L	11.051	E	Water
KGDS400	450	360	400	320	67.5	3040*1330*1960	4470*1850*2520	P158LE-1		8V	14.618	E	Water
KGDS450	500	400	450	360	74.7	2980*1400*1920	4470*1850*2520	P158LE		8V	14.618	E	Water
KGDS416	575	460	520	416	83.4	3040*1440*2110	4470*1850*2520	DP158LCS		8V	14.618	E	Water
KGDS563	625	500	563	450	92.9	3040*1440*2110	4470*1850*2520	DP158LDS		8V	14.618	E	Water
KGDS625	700	560	625	500	106.6	3300*1485*2070	4500*1800*2520	DP180LAS		10V	18.273	E	Water
KGDS675	750	600	675	540	114.2	3300*1485*2070	4500*1800*2520	DP180LBS		10V	18.273	E	Water
KGDS750	825	660	750	600	120.4	3450*1630*2200	4850*2000*2520	DP222LAS		12V	21.927	E	Water
KGDS628	875	700	785	628	127.7	3450*1630*2200	4850*2000*2520	DP222LBS		12V	21.927	E	Water
KGDS680	935	748	850	680	134.4	3450*1630*2200	4850*2000*2520	DP222LCS		12V	21.927	E	Water