

50HZ

Diesel Generator Power by Yuchai | Three Phase Specifications:(20KVA-3000KVA)

Genset Model	ESP		PRP		Consumption g/kw.h	Open L*W*H(mm)	Silent L*W*H(mm)	Engine Model	Country of origin	Cyl Arrangement	Displacement (L)	Lube oil(L)	Cooling
	KVA	KW	KVA	KW									
KGY20	22	18	20	16	232	1700*700*1000	2200*1000*1500	4D24G6		4L	2.449	10	Water
KGY25	28	22	25	20	232	1700*700*1000	2200*1000*1500	4D24G7		4L	2.449	10	Water
KGY30	33	26	30	24	232	1700*700*1000	2200*1000*1500	4D24TG2		4L	2.449	10	Water
KGY40	44	35	40	32	230	1800*750*1100	2400*1000*1500	4D24TG0		4L	2.449	10	Water
KGY63	69	55	63	50	215	1850*750*1200	2400*1000*1500	YC4D80-D34		4L	4.214	13	Water
KGY69	76	61	69	55	215	1920*800*1200	2400*1000*1500	YC4D90-D34		4L	4.214	13	Water
KGY94	103	83	94	75	210	2000*850*1200	3000*1200*1700	YC4D120-D31		4L	4.214	13	Water
KGY113	124	99	113	90	210	2200*850*1200	3000*1200*1700	YC4D140-D31		4L	4.214	13	Water
KGY125	138	110	125	100	210	2300*900*1500	3000*1200*1700	YC4D155-D31		4L	4.214	13	Water
KGY150	165	132	150	120	213	2300*900*1500	3000*1200*1700	YC4A190-D30		4L	4.837	17	Water
KGY150	165	132	150	120	214	2500*950*1600	3000*1200*1700	YC6A205-D30		6L	7.255	24	Water
KGY188	207	165	188	150	213	2500*1000*1600	3300*1400*1700	YC6A230-D30		6L	7.255	24	Water
KGY225	248	198	225	180	210	2500*1000*1600	3300*1400*1700	YC6A275-D30		6L	7.255	24	Water
KGY250	275	220	250	200	201	3100*1050*1750	3300*1400*1700	YC6MK350-D30		6L	10.34	30	Water
KGY313	344	275	313	250	203	3200*1150*1750	4300*2100*2300	YC6MK420-D30		6L	10.34	30	Water
KGY375	413	330	375	300	198	3200*1150*1750	4300*2100*2300	YC6MK450-D30		6L	10.34	30	Water
KGY400	440	352	400	320	210	3100*1100*1900	4300*2100*2300	YC6MJ500-D30		6L	11.726	35	Water
KGY400	440	352	400	320	201	3300*1250*1850	4300*2100*2350	YC6K500-D31		6L	12.16	32	Water
KGY438	482	385	438.0	350	201	3300*1250*1850	4300*2100*2350	YC6K520-D30		6L	12.16	32	Water
KGY500	550	440	500	400	203	3400*1250*1850	4700*2100*2450	YC6K600-D30		6L	12.94	32	Water
KGY550	605	440	550	400	216	3500*1500*1970	4700*2100*2450	YC6T660-D31		6L	16.35	56	Water
KGY625	688	550	625	500	220	3600*1600*1950	4700*2100*2450	YC6TD780-D31		6L	19.6	55	Water
KGY688	757	605	688	550	215	3650*1600*2000	4700*2100*2450	YC6TD840-D31		6L	19.6	55	Water
KGY750	825	660	750	600	214	3700*1460*1900	6000*2300*2800	YC6TD900-D31		6L	19.6	55	Water
KGY800	880	704	800	640	208	3850*1500*2050	6000*2300*2800	YC6TD1000-D30		6L	19.6	55	Water
KGY800	880	704	800	640	209	4450*1580*2200	6000*2300*2800	YC6C1020-D31		6L	39.58	160	Water
KGY875	963	770	875	700	212	4200*1650*2100	6000*2300*2800	YC6C1070-D31		6L	39.58	160	Water
KGY1000	1100	880	1000	800	209	4600*1800*2600	6000*2300*2800	YC6C1220-D31		6L	39.58	160	Water
KGY1125	1238	990	1125	900	209	4600*1800*2600	REQ	YC6C1320-D31		6L	39.58	160	Water
KGY1250	1375	1100	1250	1000	208	4560*1800*2460	REQ	YC6C1520-D31		6L	39.58	160	Water
KGY1375	1513	1210	1375	1100	208	4580*2100*2250	REQ	YC6C1660-D30		6L	39.58	160	Water
KGY1375	1513	1210	1375	1100	210	5000*2000*2200	REQ	'C12VTD1680-D30		12V	39.2	210	Water
KGY1500	1650	1320	1500	1200	210	5000*2100*2200	REQ	'C12VTD1830-D30		12V	39.2	210	Water
KGY1500	1650	1320	1500	1200	210	5100*2100*2200	REQ	'C12VTD2000-D30		12V	39.2	210	Water
KGY1688	1857	1485	1688	1350	210	5200*2100*2200	REQ	'C12VTD2000-D30		12V	39.2	210	Water
KGY1875	2063	1650	1875	1500	204	5600*2200*2800	REQ	YC12VC2270-D31		12V	79.17	340	Water
KGY2000	2200	1760	2000	1600	207	5650*2240*2950	REQ	YC12VC2510-D31		12V	79.17	340	Water
KGY2250	2475	1980	2250	1800	305	5650*2350*2600	REQ	YC12VC2700-D31		12V	79.17	370	Water
KGY2500	2750	2200	2500	2000	205	7350*2670*2950	REQ	YC16VC3000-D31		16V	105.56	430	Water
KGY2750	3025	2420	2750	2200	205	7350*2670*2950	REQ	YC16VC3000-D31		16V	105.56	430	Water
KGY3000	3300	2640	3000	2400	205	7400*3100*3300	REQ	YC16VC3600-D31		16V	105.56	430	Water