



60HZ

Diesel Generator Powered by Deutz | Three Phase Specifications:(16KVA-550KVA)

Genset Model	ESP		PRP		Fuel Cons L/H(75 %)	Open L*W*H(mm)	Silent L*W*H(mm)	Engine Model	Country of origin	Cyl Arrangement	Displacement (L)	Gov	Cooling
	KVA	KW	KVA	KW									
KGZS16	18	14	16	13	3.3	1300*600*1400	1900*850*1136	F2M2011		2L	1.554	M	OIL
KGZS25	28	22	25	20	4.6	1300*600*1400	2070*850*1136	F3M2011		3L	2.331	M	OIL
KGZS38	42	34	38	30	6.9	1860*780*1290	2280*900*1146	F4M2011		4L	3.108	M	OIL
KGZS50	55	44	50	40	9	2100*1030*1560	2928*1100*1732	BF4M2011		4L	3.108	M	OIL
KGZS68	75	60	68	54	13.9	2100*1030*1560	2928*1100*1732	BF4M2012		4L	4.04	M	Water
KGZS85	94	75	85	68	17	2100*1030*1560	2928*1100*1732	BF4M2012C		4L	4.04	M	Water
KGZS100	110	88	100	80	18.8	2100*1030*1560	3050*1100*1832	BF4M1013EC		4L	4.76	M	Water
KGZS138	150	120	138	110	26.5	2150*1030*1560	3150*1150*1832	BF4M1013FC		4L	4.76	EMR	Water
KGZS160	175	140	160	128	31.4	2550*1100*1650	3500*1200*1942	BF6M1013EC		6L	7.15	M	Water
KGZS200	220	176	200	160	38.9	2550*1150*1800	3950*1250*2035	BF6M1013FCG2		6L	7.15	EMR	Water
KGZS225	250	200	225	180	43.8	2550*1150*1800	3950*1250*2035	BF6M1013FCG3		6L	7.15	ECU	Water
KGZS275	300	240	275	220	52.7	2710*1080*1750	4050*1250*2012	TCD2013L6 4V		6L	7.2	ECU	Water
KGZS350	388	310	350	280	64.5	2800*1400*2200	4070*1650*2520	BF6M1015C G1		6L	11.9	ECU	Water
KGZS400	440	352	400	320	73.5	2765*1515*2150	4070*1650*2520	BF6M1015CP		6L	11.9	ECU	Water
KGZS475	525	420	475	380	88	3040*1500*1990	4370*1650*2520	BF8M1015C G1		8V	15.9	ECU	Water
KGZS550	600	480	550	440	99.3	3040*1500*1990	4370*1650*2520	BF8M1015CP		8V	16	ECU	Water

